Voluntary Product Accessibility Template® (VPAT®) International Edition

Version 2.5Rev

AhaSlides Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5Rev)

Name of Product/Version: AhaSlides Audience Site "audience.ahaslides.com"

Report Date: August 2025

Product Description: The AhaSlides Audience Site allows participants to join presentations and interact in real time via polls, quizzes, word clouds, Q&A, and spinner slides.

Contact Information: design-team@ahaslides.com

Notes: This report applies only to the audience-facing experience of AhaSlides, accessible via audience.ahaslides.com and its associated voting and interaction flows. It does not include the Presentation Editor and admin dashboard (<u>presenter.ahaslides.com</u>), or the AhaSlides Landing Site (<u>ahaslides.com</u>).

Evaluation Methods Used: Manual testing on MacOS Sonoma and iOS using VoiceOver in Safari and Chrome. Testing included keyboard navigation, color contrast verification, zoom to 200%, and screen reader output across common slide types (quiz, poll, word cloud). Tools used include Axe DevTools, Lighthouse, and Stark plugin in Figma.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

| Standard/Guideline | Included In Report |
|--|----------------------------------|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) |
| | Level AA (Yes) |
| | Level AAA (No) |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes) |
| | Level AA (Yes) |
| | Level AAA (No) |
| Web Content Accessibility Guidelines 2.2 | Level A (Yes) (partial mapping) |
| | Level AA (Yes) (partial mapping) |
| | Level AAA (No) |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018 | (Yes) |
| EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND | (Yes) |
| EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03) | |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: AhaSlides has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549:
 - o Clause 9 Web
 - o Clauses 10.1-10.4 of Clause 10 Non-Web documents
 - o Clauses 11.1-11.4 and 11.8.2 of Clause 11 Software
 - o Clauses 12.1.2 and 12.2.4 of Clause 12 Documentation and support services
- Revised Section 508:
 - o Chapter 5 501.1 Scope and 504.2 Content Creation or Editing
 - o Chapter 6 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.1 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| 1.1.1 Non-text Content (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Does Not Support | No meaningful non-text elements in the AhaSlides audience experience currently provide appropriate text alternatives. Images, emoji-based interactions, icon-only buttons, and visual poll components are either missing alt text, lack aria-label, or are not exposed to assistive technologies. These issues will be addressed in upcoming product updates. |
| 1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not applicable | |
| 1.2.2 Captions (Prerecorded) (Level A) Also applies to: | Not Applicable | AhaSlides does not provide prerecorded multimedia content with audio. Embedded video content (such as |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|--|
| EN 301 549 Criteria 9.1.2.2 (Web) 10.1.2.2 (Non-web document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | from YouTube) is externally hosted and captions are the responsibility of the content provider. |
| 1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) 10.1.2.3 (Non-web document) 11.1.2.3.1 (Open Functionality Software) 11.1.2.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Not Applicable | The AhaSlides Audience Site does not support prerecorded video content. Presenters may optionally attach audio recordings to questions, but these do not contain visual-only information requiring audio descriptions. |
| 1.3.1 Info and Relationships (Level A) Also applies to: EN 301 549 Criteria • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.8.2 (Closed Software) • 11.8.2 (Authoring Tool) | Partially Supports | Form fields in Login screen aren't associated with labels. Other structural relationships—such as grouped options, heading hierarchy, and semantic grouping of interactive areas—are not clearly conveyed through HTML. Visual cues like spacing and color are used to imply relationships, but these are not programmatically exposed for assistive technologies. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | These issues will be addressed in upcoming product updates. |
| 1.3.2 Meaningful Sequence (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) 10.1.3.2 (Non-web document) 11.1.3.2.1 (Open Functionality Software) 11.1.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Does Not Support | Content in the DOM does not follow a logical reading order, causing screen readers to announce poll answers before the question itself. Layout techniques such as flexbox reordering and dynamic updates (e.g. poll results) also break assistive reading flow and expected keyboard navigation. These issues will be addressed in upcoming product updates. |
| 1.3.3 Sensory Characteristics (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | The AhaSlides Audience Site does not rely solely on sensory cues such as color, shape, sound, or position to convey information. Instructions and controls are typically presented with text labels, icons, or descriptions that do not depend only on visual or auditory attributes. For example, answer buttons, navigation, and prompts use clear text instead of position-only guidance like "click the red button to continue." |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 1.4.1 Use of Color (Level A) Also applies to: EN 301 549 Criteria 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | Currently, some interactive elements (e.g. poll/quiz options) lack hover state entirely. In other cases, active or focus styles rely solely on color changes without additional visual indicators such as borders, icons, or underline. These issues will be addressed in upcoming product updates. |
| 1.4.2 Audio Control (Level A) Also applies to: EN 301 549 Criteria 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | The AhaSlides Audience Site does not play audio automatically. All sound effects (e.g., quiz music) must be manually triggered by the presenter and do not auto-start for the audience. Therefore, no additional audio control mechanism is required. Users retain control over volume via their system settings. |
| 2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) | Partially Supports | Most interactive actions in AhaSlides are not operable via keyboard. Poll and quiz options cannot receive focus, slide navigation and voting cannot be triggered without a pointer, and key elements lack visible focus indicators. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Comormanee zever | These issues will be addressed in upcoming product updates. |
| 2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria 9.2.1.2 (Web) 10.2.1.2 (Non-web document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Does Not Support | Users cannot navigate all interactive elements via keyboard, and some components lack semantic roles or focus management. These issues will be addressed in upcoming product updates. |
| 2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Not Applicable | The AhaSlides Audience Site does not implement single-character keyboard shortcuts. All keyboard interactions require standard keys (e.g., Tab, Enter) or are based on browser-native controls. Therefore, there are no shortcuts that could interfere with screen reader or keyboard-only users. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| 2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | Some AhaSlides interactions (e.g., quizzes) are time-limited based on presenter-defined settings. While presenters can choose to disable timers or adjust time limits, participants do not have the ability to individually pause, extend, or adjust time constraints during a session. Real-time experiences like voting or quiz scoring are essential to the function of the site, but this limits flexibility for users who may need more time due to cognitive or motor disabilities. |
| 2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Some visual animations in AhaSlides Audience Site — such as the spinner wheel, leaderboard reveals, and result bars — begin automatically and cannot be paused, stopped, or hidden by the audience. |
| 2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: EN 301 549 Criteria • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) | Supports | The AhaSlides Audience Site itself does not contain native flashing content that exceeds WCAG thresholds. However, presenters can insert animated media such as GIFs (via Tenor integration or image upload), which may include flashing effects. AhaSlides currently does not provide any automated filtering or |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.4.1 Bypass Blocks (Level A) | Does Not Support | warnings for seizure-inducing content. Future improvements may include limiting GIF frame rates or flagging unsafe content to better protect users with photosensitive conditions. AhaSlides does not currently provide any mechanism |
| Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | | to bypass repeated content blocks. Users relying on keyboard navigation are forced to tab through persistent elements like the top toolbar and navigation controls before reaching the main interactive area. There are no skip links, semantic landmarks, or structural roles in place to support efficient navigation. This results in poor accessibility for users with screen readers or limited motor ability and constitutes a failure to meet this criterion. |
| 2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) - Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) | Partially Supports | While each distinct presentation does have a unique and descriptive title on page load, other dynamic states (e.g. changing slides within a live presentation) do not update the title dynamically. These issues will be addressed in upcoming product updates. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 2.4.3 Focus Order (Level A) | Partially supports | Only a few interactive elements are focusable via |
| Also applies to: | | keyboard, but when focus is applied, the order is |
| EN 301 549 Criteria | | logical and precise, without erratic jumps or |
| • 9.2.4.3 (Web) | | disruptions. |
| 10.2.4.3 (Non-web document) | | |
| 11.2.4.3 (Open Functionality Software) | | |
| • 11.2.4.3 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 2.4.4 Link Purpose (In Context) (Level A) | Supports | Links in the audience interface consistently provide |
| Also applies to: | | sufficient context and clear intent, even when |
| EN 301 549 Criteria | | separated from headings or buttons. |
| • 9.2.4.4 (Web) | | |
| • 10.2.4.4 (Non-web document) | | |
| • 11.2.4.4 (Open Functionality Software) | | |
| • 11.2.4.4 (Closed Software | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| • 602.3 (Support Docs) | | Advision and the second |
| 2.5.1 Pointer Gestures (Level A 2.1 and 2.2) | Supports | Most interactions in the Audience App can be |
| Also applies to: | | completed using simple pointer gestures such as |
| EN 301 549 Criteria | | single taps or clicks. However, the "Correct Order" |
| • 9.2.5.1 (Web) | | question type currently requires drag-and-drop, which |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| 10.2.5.1 (Non-web document) 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | involves a path-based gesture that is not operable via a single-point alternative (e.g. tap-to-select or keyboard navigation). This means the criterion is partially supported and will fail unless an accessible alternative is provided. |
| 2.5.2 Pointer Cancellation (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 – Does not apply | Supports | All interactive elements in the audience app activate only on pointer up, and none are triggered solely on pointer down. There is no custom logic that bypasses standard pointer behaviour across mouse, touch, or stylus input. Actions are either cancelable (via pointer movement), easily reversible, or require explicit user confirmation. |
| 2.5.3 Label in Name (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Partially Supports | While most visible labels for buttons and inputs are present, not all programmatic names (e.g., via aria-label or aria-labelledby) match the visible text. This may lead to confusion for users relying on voice control or screen readers, who expect the spoken label to match what's visibly shown. These issues will be addressed in upcoming product updates. |
| 2.5.4 Motion Actuation (Level A 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) | Not applicable | No functions in AhaSlides Audience Site are triggered by moving a device |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| • 11.2.5.4 (Open Functionality Software) | | , , , , , , , , , , , , , , , , , , , |
| • 11.2.5.4 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 – Does not apply | | |
| 3.1.1 Language of Page (Level A) | Does Not Support | AhaSlides does not declare a primary language using |
| Also applies to: | | the lang attribute on the <html> element.</html> |
| EN 301 549 Criteria | | These issues will be addressed in upcoming product |
| • 9.3.1.1 (Web) | | updates. |
| 10.3.1.1 (Non-web document) | | |
| 11.3.1.1.1 (Open Functionality Software) | | |
| • 11.3.1.1.2 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| • 602.3 (Support Docs) | | |
| 3.2.1 On Focus (Level A) | Partially Supports | Although no context change is triggered on focus, the |
| Also applies to: | | current implementation lacks robust keyboard focus |
| EN 301 549 Criteria | | support. |
| • 9.3.2.1 (Web) | | These issues will be addressed in upcoming product |
| • 10.3.2.1 (Non-web document) | | updates. |
| • 11.3.2.1 (Open Functionality Software) | | |
| • 11.3.2.1 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| • 602.3 (Support Docs) | | |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | All user inputs are handled without triggering unexpected changes in context. No input fields, selections, or interactions cause automatic navigation, page reloads, or modal triggers without clear user intent or confirmation. This ensures a predictable and stable experience for all users, including keyboard and assistive technology users. |
| 3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Supports | |
| 3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | Error messages are shown, but the feedback lacks clear association with the specific input field, which may reduce clarity for assistive tech users. |
| 3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria | Partially Supports | Most input fields have clear visible labels and provide adequate instructions. However, a few fields lack programmatic association (e.g. missing aria-label or |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|--|
| • 9.3.3.2 (Web) | | label for). Improvements are needed to ensure all |
| 10.3.3.2 (Non-web document) | | inputs are accessible to assistive technologies. |
| 11.3.3.2 (Open Functionality Software) | | |
| • 11.3.3.2 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 3.3.7 Redundant Entry (Level A 2.2 only) | Supports | |
| EN 301 549 Criteria – Does not apply | | |
| Revised Section 508 – Does not apply | | |
| 4.1.1 Parsing (Level A) | Partially Supports | Most parsing criteria are met, including proper |
| Applies to: | | element nesting, valid HTML structure, and no |
| WCAG 2.0 and 2.1 – Always answer 'Supports' | | duplicate IDs. However, accessibility-related attributes |
| WCAG 2.2 (obsolete and removed) - Does not apply | | (aria-*, role) are mostly missing, which may hinder |
| EN 301 549 Criteria | | assistive technology from interpreting component |
| • 9.4.1.1 (Web) | | semantics properly. |
| • 10.4.1.1 (Non-web document) | | |
| • 11.4.1.1.1 (Open Functionality Software) | | |
| 11.4.1.1.2 (Closed Software) – Does not apply | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 4.1.2 Name, Role, Value (Level A) | Does Not Support | The Audience app currently does not expose name, |
| Also applies to: | | role, or value for interactive components. |
| EN 301 549 Criteria | | |
| • 9.4.1.2 (Web) | | |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|---|
| 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | Elements lack aria-label, role, and dynamic state attributes (aria-pressed, etc.), making them invisible or ambiguous to assistive technologies. These criteria are part of our long-term accessibility improvements and will be addressed in future development phases. |

Table 2: Success Criteria, Level AA

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 1.2.4 Captions (Live) (Level AA) | Not applicable | AhaSlides does not produce time-based media. If used |
| Also applies to: | | alongside video conferencing tools, captions may be |
| EN 301 549 Criteria | | provided by those platforms. |
| • 9.1.2.4 (Web) | | |
| • 10.1.2.4 (Non-web document) | | |
| 11.1.2.4 (Open Functionality Software) | | |
| • 11.1.2.4 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 1.2.5 Audio Description (Prerecorded) (Level AA) | Not applicable | Presenters may embed third-party video content; it is |
| Also applies to: | | their responsibility to ensure accessibility. AhaSlides |
| EN 301 549 Criteria | | does not host time-based media. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| 1.3.4 Orientation (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) Revised Section 508 – Does not apply | Supports | AhaSlides fully supports both portrait and landscape orientations without loss of functionality or content. All interactions remain accessible regardless of device orientation. |
| 1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Supports | All relevant input fields correctly use semantic autocomplete attributes, enabling assistive technologies to identify input purposes and support autofill or personalization. This criterion is fully satisfied. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|--|
| 1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | The system fully supports contrast compliance by default. However, since presenters and poll creators can customise visual themes, some combinations may not meet WCAG contrast ratios. To mitigate this, a built-in contrast checker is available to guide users when their settings result in insufficient contrast. |
| 1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Text remains readable and functional when resized up to 200% using browser or OS font scaling, without loss of content or functionality. The layout adapts responsively, ensuring accessibility across different zoom levels. |
| 1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) | Partially Supports | Most textual content is implemented as real text, ensuring readability and scalability. However, some decorative elements still include embedded text within images without alt="" or proper hiding from assistive technologies. This may cause unnecessary noise for screen reader users. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 11.1.4.5.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 1.4.10 Reflow (Level AA 2.1 and 2.2) Also applies to: | Supports | All layout and content elements reflow correctly at 320px width and 400% zoom. No horizontal scrolling is |
| EN 301 549 Criteria 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10 (Open Functionality Software) 11.1.4.10 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | required, and all functionality remains accessible. Responsive stacking and wrapping are handled well, with no clipping or loss of information. |
| 1.4.11 Non-text Contrast (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Partially Supports | Default UI components meet all non-text contrast requirements. However, presenters can customise themes, which may reduce contrast. A built-in contrast checker warns users when their choices violate WCAG thresholds. |
| 1.4.12 Text Spacing (Level AA 2.1 and 2.2) Also applies to: EN 301 549 Criteria • 9.1.4.12 (Web) | Partially Supports | Text spacing is not hardcoded and can technically be overridden. However, full compliance requires layout to remain fully functional and visually coherent when |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|---|
| • 10.1.4.12 (Non-web document) | 3011101111011001 | applying user-defined spacing settings (as defined in |
| • 11.1.4.12 (Open Functionality Software) | | the criterion) |
| • 11.1.4.12 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 – Does not apply | | |
| 1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2) | Partially Supports | Most hover/focus-triggered content (e.g. tooltips, |
| Also applies to: | ' '' | highlights) in the audience app passes the essential |
| EN 301 549 Criteria | | criteria. However, some items may not yet be |
| • 9.1.4.13 (Web) | | accessible via keyboard focus or may lack fallback |
| • 10.1.4.13 (Non-web document) | | alternatives for non-hover users (e.g. screen readers). |
| • 11.1.4.13 (Open Functionality Software) | | , , , |
| • 11.1.4.13 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 – Does not apply | | |
| 2.4.5 Multiple Ways (Level AA) | Not applicable | The audience interface presents one live slide at a |
| Also applies to: | | time, controlled by the presenter. Alternate navigation |
| EN 301 549 Criteria | | is not applicable. |
| • 9.2.4.5 (Web) | | |
| 10.2.4.5 (Non-web document) – Does not apply | | |
| 11.2.4.5 (Open Functionality Software) – Does not apply | | |
| 11.2.4.5 (Closed Software) – Does not apply | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) – Does not apply to non-web software | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) – Does not apply to non-web docs | | |
| 2.4.6 Headings and Labels (Level AA) | Partially Supports | Most headings follow a logical structure and clearly |
| Also applies to: | | describe content sections. Input fields are generally |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|--|
| EN 301 549 Criteria 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) | Comormance Level | labelled, but a few rely solely on placeholder text, which may not meet accessibility requirements for persistent or screen reader-friendly labels. |
| • 602.3 (Support Docs) 2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Does Not Support | Only a small number of elements (such as inputs or basic buttons) show focus indicators, and even these are inconsistently applied across different pages and components. Most interactive elements have no visible focus state, making keyboard navigation unclear and unreliable. These criteria are part of our long-term accessibility improvements and will be addressed in future development phases. |
| 2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Supports | |
| 2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Supports | |
| 2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply | Supports | |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--------------------|--|
| Revised Section 508 – Does not apply | | |
| 3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria 9.3.1.2 (Web) 10.3.1.2 (Non-web document) 11.3.1.2 (Open Functionality Software) – Does not apply 11.3.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) | Does Not Support | AhaSlides does not use any lang attribute to mark up language changes. These issues will be addressed in upcoming product updates. |
| 602.3 (Support Docs) 3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.3 (Web) 10.3.2.3 (Non-web document) – Does not apply 11.3.2.3 (Open Functionality Software) – Does not apply 11.3.2.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | Partially Supports | Navigation structure and position are consistent across pages, but inconsistent tab order disrupts the expected flow for keyboard users. This limits accessibility for non-mouse interactions. |
| 3.2.4 Consistent Identification (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) 10.3.2.4 (Non-web document) – Does not apply | Partially Supports | Most visual and functional components are consistently labeled and styled across the UI. However, some reusable elements lack consistent ARIA roles or alt text, which may hinder assistive technologies from correctly identifying repeated components. |

| Cuitania | Conformania | Demonto and Fundameticas |
|--|-------------------|--|
| Criteria | Conformance Level | Remarks and Explanations |
| • 11.3.2.4 (Open Functionality Software) – Does not apply | | |
| • 11.3.2.4 (Closed Software) – Does not apply | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) – Does not apply to non-web software | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) – Does not apply to non-web docs | | |
| 3.3.3 Error Suggestion (Level AA) | Supports | All error messages in the audience app provide clear |
| Also applies to: | | identification of the problematic field and offer |
| EN 301 549 Criteria | | actionable suggestions for correction. Error handling is |
| • 9.3.3.3 (Web) | | contextual, accessible, and written in user-friendly |
| 10.3.3.3 (Non-web document) | | language. |
| • 11.3.3.3 (Open Functionality Software) | | |
| • 11.3.3.3 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) | Supports | The audience app provides sufficient review and |
| Also applies to: | | confirmation before users perform any irreversible |
| EN 301 549 Criteria | | actions. All key interactions are designed to prevent |
| • 9.3.3.4 (Web) | | accidental data loss or submission. |
| 10.3.3.4 (Non-web document) | | |
| 11.3.3.4 (Open Functionality Software) | | |
| • 11.3.3.4 (Closed Software) | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 | | |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| • 501 (Web)(Software) | | |
| • 504.2 (Authoring Tool) | | |
| 602.3 (Support Docs) | | |
| 3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) | Supports | |
| EN 301 549 Criteria – Does not apply | | |
| Revised Section 508 – Does not apply | | |
| 4.1.3 Status Messages (Level AA 2.1 and 2.2) | Does Not Support | No status messages are programmatically exposed to |
| Also applies to: | | assistive technologies using aria-live or equivalent |
| EN 301 549 Criteria | | attributes. |
| • 9.4.1.3 (Web) | | These criteria are part of our long-term accessibility |
| • 10.4.1.3 (Non-web document) | | improvements and will be addressed in future |
| • 11.4.1.3 (Open Functionality Software) | | development phases. |
| 11.4.1.3 (Closed Software) – Does not apply | | |
| • 11.8.2 (Authoring Tool) | | |
| • 12.1.2 (Product Docs) | | |
| • 12.2.4 (Support Docs) | | |
| Revised Section 508 – Does not apply | | |

Table 3: Success Criteria, Level AAA

Notes: This level was not evaluated as AhaSlides is currently focused on meeting Level A and AA requirements.

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------|-------------------|---------------------------------------|
| 202.1 Without Vision | Doos Not Cupport | AhaSlides does not support non-visual |
| 302.1 Without Vision | Does Not Support | interaction: most elements are not |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------|--------------------|---|
| | | focusable or screen-reader compatible, making AhaSlides unusable without vision. These issues will be addressed in upcoming product updates. |
| 302.2 With Limited Vision | Partially Supports | AhaSlides partially supports users with limited vision. While zoom and basic readability are preserved, contrast and reliance on visual styling (e.g. colour-only indicators) may hinder accessibility, especially under user-customised themes. |
| 302.3 Without Perception of Color | Partially Supports | While core information isn't color-only, some state indicators (e.g. selection/focus) may rely solely on visual color cues. Contrast guidance exists in the theme editor but isn't enforced. |
| 302.4 Without Hearing | Not applicable | |
| 302.5 With Limited Hearing | Not applicable | |
| 302.6 Without Speech | Supports | All audience interactions are performed via keyboard, mouse, or touch. No speech input is required. |
| 302.7 With Limited Manipulation | Partially Supports | Most actions rely on basic click or tap, which is generally accessible. However, some interactive targets are small and require precise control, and there's no fallback for alternative input methods like voice or keyboard for drag-and-drop actions. Overall, the system only partially supports users with limited fine motor control. |
| 302.8 With Limited Reach and Strength | Partially Supports | All criteria are met except for the requirement that all interactive elements |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| | | be operable with a single point of |
| | | contact. One quiz requires drag-and-drop |
| | | interaction, which may pose difficulty for |
| | | users with limited dexterity. Consider |
| | | offering an alternative method such as |
| | | tap-to-select. |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Supports | Instructions are written clearly, interface |
| | | layout is predictable, and familiar UI |
| | | patterns are used throughout. Error |
| | | feedback and helper text are available |
| | | where needed, with no reliance on |
| | | memory or reading speed. |

Chapter 4: Hardware

Notes: Not Applicable to AhaSlides Audience Site

AhaSlides is a **web-based software platform** and does **not include any hardware components**. The service is accessed via standard browsers on devices such as desktops, laptops, tablets, and smartphones. Therefore, the provisions in Chapter 4 of the Revised Section 508 standards, which address accessibility of physical hardware (e.g., kiosks, multifunction printers, ATMs), do not apply to AhaSlides.

Chapter 5: Software

Notes: AhaSlides does not have access to platform accessibility services and does not include components that have access to platform accessibility services, hence Chapter 5 Software has been removed from the report

Chapter 6: Support Documentation and Services

Notes: This chapter applies to documentation and support channels that assist users of the AhaSlides Audience Site — including knowledge base articles, contact options, and automated help tools.

| Criteria | Conformance Level | Remarks and Explanations |
|-------------|-------------------------------------|-------------------------------------|
| 601.1 Scope | Heading cell – no response required | Heading cell – no response required |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 602 Support Documentation | Heading cell – no response required | Heading cell – no response required |
| 602.2 Accessibility and Compatibility Features | Partially Supports | AhaSlides documentation provides basic accessibility guidance (e.g., how to join or interact in sessions), but lacks a dedicated accessibility help section. Compatibility with assistive tech is not always described. |
| 602.3 Electronic Support Documentation | Does Not Support | AhaSlides does not currently respect system-level accessibility settings or provide in-app customization options for individual preferences. No related documentation found. |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Not Applicable | All support documentation is provided electronically; non-digital formats are not offered. |
| 603 Support Services | Heading cell – no response required | Heading cell – no response required |
| 603.2 Information on Accessibility and Compatibility Features | Support | More in-depth information can be found in our <u>Accessibility statement</u> . |
| 603.3 Accommodation of Communication Needs | Support | All communication is conducted in written format: email for non-registered users and chat for registered users. |

EN 301 549 Report

Notes: This report addresses accessibility conformance of the **AhaSlides Audience Site** in accordance with **EN 301 549 V3.2.1 (2021-03)**, applicable to public sector ICT products and services in the EU.

Clause 4: Functional Performance Statements (FPS)

Notes: This clause ensures that the ICT system is usable by people with a wide range of disabilities.

| Criteria | Conformance Level | Remarks and Explanations |
|--|--------------------|---|
| 4.2.1 Usage without vision | Partially Supports | Most core requirements for blind or screen reader users are not met. Keyboard navigation is largely unsupported, and the accessibility tree is incomplete or missing. Only very simple passive content is accessible. |
| 4.2.2 Usage with limited vision | Partially Supports | AhaSlides partially supports this requirement. While it handles zooming and default contrast well, there is limited support for hover and focus states, making it harder for users with limited vision to identify interactive elements. Custom themes may break contrast rules, although users are warned when this occurs. Some information is still communicated through colour alone, which may hinder accessibility in specific scenarios. |
| 4.2.3 Usage without perception of colour | Partially Supports | Color is not the only method of conveying information. Icons, text labels, and shapes offer redundancy. |
| 4.2.4 Usage without hearing | Supports | AhaSlides does not rely on audio content in the audience interface. Information is presented visually. |

| 4.2.5 Usage with limited hearing | Supports | Same as above — no critical content depends on hearing |
|---|--------------------|---|
| 4.2.6 Usage with no or limited vocal capability | Supports | AhaSlides does not require voice input for any functionality. All features are fully accessible through standard touch or keyboard interactions. No speech-based commands or vocal triggers are implemented. |
| 4.2.7 Usage with limited manipulation or strength | Partially Supports | AhaSlides supports most requirements for users with limited manipulation or strength. All primary interactions can be performed through simple touch or click, with no reliance on complex gestures or rapid input. However, one quiz interaction that uses drag-and-drop may pose difficulty for users with reduced motor control. |
| 4.2.8 Usage with limited reach | Supports | AhaSlides generally supports usage for individuals with limited reach or range of motion. All core actions are accessible without requiring extended movement or dual-hand input. However, certain secondary actions or settings may be hidden in areas that could be less discoverable without prior familiarity, especially on smaller screens. Improving visibility and proximity of such elements could enhance reachability further. |
| 4.2.9 Minimize photosensitive seizure triggers | Supports | AhaSlides does not include any flashing content or visual effects that could trigger photosensitive seizures. |
| 4.2.10 Usage with limited cognition, language or learning | Partially Supports | AhaSlides generally supports users with cognitive or learning limitations through consistent layout, clear feedback, and absence of time pressure. However, |

| | | certain quiz interactions like drag-and-drop may be cognitively demanding and lack alternative input methods. |
|----------------|----------|---|
| 4.2.11 Privacy | Supports | Audience users can fully participate without providing personal information unless the presenter explicitly requests it via input fields. However, the lack of a visible privacy policy and missing inline explanation when data is collected reduces transparency from the user's perspective. |

Clause <u>5: Generic Requirements</u>

Notes: The AhaSlides audience Site does not have closed functionality and clause 5 is therefore not applicable

Clause 6: ICT with Two-Way Voice Communication

Notes: Clause 6 is not applicable on the AhaSlides Audience Site and has been removed from the report

Clause 7: ICT with Video Capabilities

Notes: Clause 7 is not applicable on the AhaSlides Audience Site and has been removed from the report

Clause 8: Hardware

Notes: Clause 8 is not applicable on the AhaSlides Audience Site and has been removed from the report

Clause 9: Web (see WCAG 2.x section)

Clause <u>10: Non-Web Documents</u>

Notes: Clause 10 is not applicable on the AhaSlides Audience Site and has been removed from the report

Clause 11: Software

Notes: Clause 11 is not applicable on the AhaSlides Audience Site and has been removed from the report

Clause <u>12: Documentation and Support Services</u>

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 12.1 Product documentation | Heading cell – no response required | Heading cell – no response required |
| 12.1.1 Accessibility and compatibility features | Supports | AhaSlides fully meets this requirement. Accessibility-related information, compatibility with assistive technologies, and known limitations are clearly documented and available in accessible digital formats. |
| 12.1.2 Accessible documentation | See <u>WCAG 2.x</u> section | See information in WCAG 2.x section |
| 12.2 Support Services | Heading cell – no response required | Heading cell – no response required |
| 12.2.2 Information on accessibility and compatibility features | Supports | AhaSlides provides public documentation that covers both available accessibility features (e.g. keyboard usage, focus states) and current limitations. |
| 12.2.3 Effective communication | Supports | |
| 12.2.4 Accessible documentation | See <u>WCAG 2.x</u> section | See information in WCAG 2.x section |

Clause 13: ICT Providing Relay or Emergency Service Access

Notes: Chapter 13 is not applicable on the AhaSlides Audience Site and has been removed from the report

Legal Disclaimer AhaSlides

This Accessibility Conformance Report is provided for informational purposes only and reflects the current accessibility support status of the AhaSlides Audience Site as of the date of publication. While every effort has been made to ensure the accuracy of this report, it does not constitute a legally binding representation, warranty, or guarantee of full compliance with any specific accessibility standard or regulation, including WCAG, Section 508, or EN 301 549.

The information contained in this document is subject to change without notice. AhaSlides continues to invest in accessibility improvements and reserves the right to update this report as product enhancements are released or standards evolve.

Users are encouraged to perform their own evaluation of product suitability for specific use cases or organizational requirements. For questions or requests related to accessibility, please contact us at design-team@ahaslides.com.